




## 'Basic' ball valves

# Plain/threaded outlet - FPM - Catch handle system ITEM 236



| REFERENCE | DESCRIPTION                                      | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 1011674   | FPM BALL VALVE CATCH HANDLE, S.S./F.T.OUT. 63-2" | 1,823      | 0,03682                   | 7,942        | 4             |
| 1011675   | FPM CATCH BALL V,S. SOCK/F.THR. 75-2 1/2"        | 3,149      | 0,03682                   | 13,246       | 4             |
| 1011676   | FPM CATCH BALL V,S. SOCK/F.THR. 90-3"            | 4,758      | 0,03682                   | 10,166       | 2             |
| 1011677   | FPM CATCH BALL V,S. SOCK/F.THR. 110-4"           | 6,24       | 0,03648                   | 13,18        | 2             |



## ITEM 236 | Plain/threaded outlet - FPM - Catch handle system

| CÓDIGO | f tubo-r  | PESO (g) | DN  | A   | B   | C   | D   | E  | F   | G  | PN   | TIPO ROSCA |
|--------|-----------|----------|-----|-----|-----|-----|-----|----|-----|----|------|------------|
| 11674  | 63-2"     | 1823     | 50  | 167 | 220 | 90  | 121 | 38 | 235 | 29 | PN16 | BSP        |
| 11675  | 75-2 1/2" | 3149     | 65  | 210 | 250 | 121 | 151 | 45 | 235 | 33 | PN10 | BSP        |
| 11676  | 90-3"     | 4758     | 80  | 245 | 271 | 141 | 175 | 51 | 235 | 36 | PN10 | BSP        |
| 11677  | 110-4"    | 6240     | 100 | 288 | 287 | 155 | 210 | 61 | 270 | 42 | PN10 | BSP        |



## Product Documents



## Product Certificates

## Company Certificates

