



'basic' bi-directional ball valve


Plain/threaded outlet - 220V

electric actuator - FPM

ITEM 669



| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 111D379 | BALL VALVE 220V ACTUATOR S.S./F.T.OUT.20-1/2 | 1,2163 | 0,01553 | 1,543 | 1 |
| 111D380 | BALL VALVE 220V ACTUATOR S.S./F.T.OUT.25-3/4 | 1,2715 | 0,02243 | 1,7592 | 1 |
| 111D381 | BALL VALVE 220V ACTUATOR S.S./F.T.OUT. 32-1" | 1,4454 | 0,03129 | 2,0184 | 1 |
| 111D382 | BALL VALVE 220V ACT. S.S./F.T.OUT.40-1 1/4" | 2,5996 | 0,03129 | 3,1726 | 1 |
| 111D383 | BALL VALVE 220V ACT. S.S./F.T.OUT.50-1 1/2" | 2,975 | 0,03129 | 3,548 | 1 |
| 111D384 | BALL VALVE 220V ACTUATOR S.S./F.T.OUT.63-2" | 3,522 | 0,03648 | 4,116 | 1 |
| 111D385 | V.B BID. ACT.E.S/MIXTA 75-2 1/2" FPM | 4,66 | 0,04460 | 5,354 | 1 |
| 111D386 | V.B BID. ACT.E.S/MIXTA 90-3" FPM | 6,24 | 0,04460 | 0 | 1 |



ITEM 669 | Plain/threaded outlet - 220V electric actuator - FPM

| CÓDIGO | f -r | Actuador | PESO (g) | DN | A | B | C | D | E | F | G | PN | TIPO ROSCA |
|--------|-----------|----------|----------|----|-----|-----|----|-----|-----|-----|----|------|------------|
| 11D379 | 20-1/2" | H10 | 1084.8 | 15 | 86 | 55 | 16 | 227 | 177 | 44 | 17 | PN16 | BSP |
| 11D380 | 25-3/4" | H10 | 1128.92 | 20 | 99 | 62 | 19 | 232 | 177 | 49 | 20 | PN16 | BSP |
| 11D381 | 32-1" | H10 | 1262.25 | 25 | 122 | 72 | 23 | 243 | 177 | 66 | 23 | PN16 | BSP |
| 11D382 | 40-1 1/4" | H20 | 2121 | 32 | 131 | 88 | 25 | 265 | 177 | 71 | 26 | PN16 | BSP |
| 11D383 | 50-1 1/2" | H20 | 2413.92 | 40 | 155 | 103 | 31 | 282 | 177 | 75 | 33 | PN16 | BSP |
| 11D384 | 63-2" | H20 | 2934.4 | 50 | 180 | 120 | 38 | 390 | 177 | 89 | 29 | PN16 | BSP |
| 11D385 | 75-2 1/2" | H35 | 4580 | 65 | 202 | 150 | 45 | 401 | 177 | 119 | 33 | PN10 | BSP |
| 11D386 | 90-3" | H55 | 6690 | 80 | 245 | 181 | 51 | 450 | 177 | 140 | 36 | PN10 | BSP |



Product Documents



Product Certificates

Company Certificates

