




Netvitc System pressure fittings

BS union, plain socket - plain socket

ITEM 13N



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1010333	NET. SYST. UNION,S. SOCKET O. 1 1/4" IMP	0,305	0,00892	2,58	8
1010334	NET. SYST. UNION,S. SOCKET O. 1 1/2" IMP	0,459788	0,01553	4,005	8
1010335	NET. SYST. UNION,S. SOCKET O. 2" IMP	0,437413	0,01553	3,826	8
1010336	NET. SYST. UNION,S. SOCKET O. 2 1/2" IMP	0,65	0,03129	5,76	8
1010337	NET. SYST. UNION,S. SOCKET O. 3" IMP	0,8833	0,01553	3,86	4
1010338	NET. SYST. UNION,S. SOCKET O. 4" IMP	1,208325	0,02244	5,321	4
1010340	NET. SYST. UNION,S. SOCKET O. 5" IMP	2,21	0,02244	4,98	2
1010341	NET. SYST. UNION,S. SOCKET O. 6" IMP	1,30255	0,01782	2,86	2
1010342	NET. SYST. UNION,S. SOCKET O. 8" IMP	6,5285	0,03129	13,63	2



ITEM 13N | BS union, plain socket - plain socket

CÓDIGO	Ø	PESO (g)	BRIDA	A	B	C	PN	MEDIDA
10333	1 1/4"	326	63	102	125	28	PN10	BS
10334	1 1/2"	374	63	106	125	31	PN10	BS
10335	2"	366	63	80	125	36	PN10	BS
10336	2 1/2"	456	75	94	138	44	PN10	BS
10337	3"	839	90	120	164	52	PN10	BS
10338	4"	1223	110	132	188	61	PN10	BS
10340	5"	2306	140	176	224	78	PN10	BS
10341	6"	2840	160	180	251	86	PN10	BS
10342	8"	4587	200	244	297	106	PN10	BS



Product Documents



Product Certificates

Company Certificates

