



## PP fittings for polyethylene

# Female threaded union

## ITEM 100

REFERENCE	DESCRIPTION	Net weight	Volumen (m <sup>3</sup> )	Gross weight	Unidades lote
1012046	COUPLING,FEMALE THREAD 20 1/2"	0,053073	0,02244	5,795	100
1012047	COUPLING,FEMALE THREAD 25 3/4"	0,08067	0,03129	8,64	100
1012048	COUPLING,FEMALE THREAD 32-1"	0,117851	0,04460	12,515	100
1012049	COUPLING,FEMALE THREAD 40 1 1/4"	0,208859	0,04460	12,426	56
1012050	COUPLING,FEMALE THREAD 50-1 1/2"	0,308003	0,04460	13,05	40
1012051	COUPLING,FEMALE THREAD 63-2"	0,559268	0,06150	16,58	28
1012053	COUPLING,FEMALE THREAD 25-1/2"	0,08377	0,03129	8,95	100
1012055	ENLACE RECTO MIXTO-HEMBRA 32-3/4"	0,122401	0,04460	12,97	100





## ITEM 100 | Female threaded union

Código	f tubo-F	Peso (g)	A	B	C	D	PN	TIPO ROSCA
12046	20 - 1/2"	54	21	46	75	18	PN16	BSP
12053	25 - 1/2"	82	26	55	83	18	PN16	BSP
12047	25 - 3/4"	79	26	55	83	21	PN16	BSP
12055	32 - 3/4"	122	33	63	92	21	PN16	BSP
12048	32 - 1"	117	33	63	92	23	PN16	BSP
12049	40 - 1 1/4"	196	42	76	111	25	PN16	BSP
12050	50 - 1 1/2"	289	51	91	118	25	PN16	BSP
12051	63 - 2"	509	64	109	140	29	PN16	BSP
12144	75 - 2 1/2"	902	77	133	169	34	PN10	BSP
12145	90 - 3"	1494	92	159	204	38	PN10	BSP



## ITEM 100 | Female threaded union

12146

110 - 4"

2064

112

183

231

50

PN10

BSP



## Product Documents



## Product Certificates



## Company Certificates

