



PVC check valves (with spring)

Solvent socket outlet - FPM seal

ITEM 266



| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--------------------------------------------|------------|---------------------------|--------------|---------------|
| 1016501 | PVC CHECK V. (W/SPRING) S. SOCK 20 FPM | 0,139 | 0,01553 | 5,88 | 40 |
| 1016502 | PVC CHECK V. (W/SPRING) S. SOCK 25 FPM | 0,177883 | 0,01553 | 7,442 | 40 |
| 1016503 | PVC CHECK V. (W/SPRING) S. SOCK 32 FPM | 0,285 | 0,02244 | 9,04 | 30 |
| 1016504 | PVC CHECK V. (W/SPRING) S. SOCK 40 FPM | 0,47 | 0,02244 | 9,94 | 20 |
| 1016505 | PVC CHECK V. (W/SPRING) S. SOCK 50 FPM | 0,715 | 0,02244 | 9,068 | 12 |
| 1016506 | PVC CHECK V. (W/SPRING) S. SOCK 63 FPM | 1,1715 | 0,03129 | 12,288 | 10 |
| 1016507 | PVC CHECK V. (W/SPRING) S. SOCK 75 FPM | 2,196 | 0,03129 | 9,344 | 4 |
| 1016508 | PVC CHECK V. (W/SPRING) S. SOCK 90 FPM | 3,5569 | 0,02244 | 7,645 | 2 |
| 1016559 | PVC CHECK V. (W/SPRING) S. SOCK 90-110 FPM | 3,9344 | 0,02244 | 8,4 | 2 |



ITEM 266 | Solvent socket outlet - FPM seal

| Código Vitón | A | Peso | B | C | D | PN | MEDIDA |
|--------------|-----|------|-----|-----|----|------|---------|
| 16501 | 20 | 131 | 52 | 85 | 17 | PN16 | MÉTRICO |
| 16502 | 25 | 174 | 59 | 95 | 19 | PN16 | MÉTRICO |
| 16503 | 32 | 282 | 69 | 120 | 24 | PN16 | MÉTRICO |
| 16504 | 40 | 471 | 85 | 133 | 26 | PN16 | MÉTRICO |
| 16505 | 50 | 677 | 99 | 150 | 31 | PN16 | MÉTRICO |
| 16506 | 63 | 1090 | 116 | 177 | 38 | PN16 | MÉTRICO |
| 16507 | 75 | 2616 | 150 | 216 | 44 | PN10 | MÉTRICO |
| 16508 | 90 | 4194 | 178 | 257 | 51 | PN10 | MÉTRICO |
| 16559 | 110 | 4435 | 178 | 286 | 61 | PN10 | MÉTRICO |



Product Documents



Product Certificates

Company Certificates

