




Accesorios de presión PVC-U

Codo 45° Enc. R/H Reforzado

ITEM 434

| REFERENCIA | DESCRIPCIÓN | Peso neto | Volumen (m ³) | Peso bruto | Unidades lote |
|------------|-------------------------------------|-----------|---------------------------|------------|---------------|
| 1002170 | CODO 45° ENCOLAR-R/H REF. 20-1/2" | 0,020979 | 0,00473 | 2,215 | 100 |
| 1002171 | CODO 45° ENCOLAR-R/H REF. 25-3/4" | 0,039 | 0,00892 | 4,04 | 100 |
| 1002172 | CODO 45° ENCOLAR-R/H REF. 32-1" | 0,065 | 0,01553 | 6,74 | 100 |
| 1002173 | CODO 45° ENCOLAR-R/H REF. 40-1 1/4" | 0,1026 | 0,03129 | 11,853 | 110 |
| 1002174 | CODO 45° ENCOLAR-R/H REF. 50-1 1/2" | 0,149 | 0,04717 | 17,15 | 110 |
| 1002175 | CODO 45° ENCOLAR-R/H REF. 63-2" | 0,252127 | 0,06347 | 14,697 | 55 |
| 1002176 | CODO 45° ENCOLAR-R/H REF. 75-2 1/2" | 0,393 | 0,04117 | 13,6569 | 33 |
| 1002177 | CODO 45° ENCOLAR-R/H REF. 90-3" | 0,683 | 0,04117 | 11,6159 | 16 |





ITEM 434 | Codo 45° Enc. R/H Reforzado

| Código | A-a | Peso (g) | B | C | D | E | PN | ROSCA |
|--------|-----------|----------|-----|-----|----|----|------|-------|
| 02170 | 20-1/2" | 28 | 27 | 48 | 16 | 16 | PN10 | BSP |
| 02171 | 25-3/4" | 39 | 33 | 53 | 19 | 17 | PN10 | BSP |
| 02172 | 32-1" | 65 | 41 | 63 | 22 | 21 | PN10 | BSP |
| 02173 | 40-1 1/4" | 89 | 50 | 80 | 26 | 23 | PN10 | BSP |
| 02174 | 50-1 1/2" | 149 | 61 | 95 | 31 | 24 | PN10 | BSP |
| 02175 | 63-2" | 259 | 75 | 125 | 38 | 28 | PN10 | BSP |
| 02176 | 75-2 1/2" | 393 | 89 | 140 | 45 | 32 | PN10 | BSP |
| 02177 | 90-3" | 683 | 107 | 162 | 51 | 35 | PN10 | BSP |



Documentación de Producto



Certificados de Producto



Certificados de Empresa

