



Brides et prote-bridés

Bride plate recouverte de PP à cœur d'acier

ITEM 411



| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|-------------------------|-----------|--------------------------|------------|----------------|
| 110P531 | | 1,7544 | 0,01234 | 9,02 | 5 |
| 1010527 | BRIDA PP ALMA ACERO 75 | 1,105 | 0,00708 | 5,7661 | 5 |
| 1010528 | BRIDA PP ALMA ACERO 90 | 1,345 | 0,00708 | 6,9661 | 5 |
| 1010529 | BRIDA PP ALMA ACERO 110 | 1,66 | 0,00708 | 8,5411 | 5 |
| 1010530 | BRIDA PP ALMA ACERO 125 | 1,47 | 0,01234 | 11,273 | 5 |
| 1010531 | BRIDA PP ALMA ACERO 140 | 2,275 | 0,01234 | 11,623 | 5 |
| 1010532 | BRIDA PP ALMA ACERO 160 | 2,6104 | 0,01234 | 13,3 | 5 |
| 1010533 | BRIDA PP ALMA ACERO 200 | 2,69 | 0,01234 | 3,795 | 1 |
| 1010534 | BRIDA PP ALMA ACERO 225 | 3,1762 | 0,03682 | 3,1762 | 1 |
| 1010535 | BRIDA PP ALMA ACERO 250 | 2,225 | 0,00000 | 2,225 | 1 |
| 1010536 | BRIDA PP ALMA ACERO 315 | 7,335 | 0,00000 | 7,335 | 1 |





ITEM 411 | Bride plate recouverte de PP à cœur d'acier

| Código | f | Peso (g) | B | K | C | D | PN | MEDIDA |
|--------|-----|----------|-----|-----|----|-------|------|---------|
| 10526 | 63 | 1525 | 78 | 125 | 18 | 4x18 | PN16 | MÉTRICO |
| 10527 | 75 | 2002 | 92 | 145 | 19 | 4x18 | PN16 | MÉTRICO |
| 10528 | 90 | 1984.32 | 110 | 160 | 20 | 4x18 | PN16 | MÉTRICO |
| 10529 | 110 | 2278.64 | 132 | 180 | 21 | 8x18 | PN16 | MÉTRICO |
| 10530 | 125 | 3192.8 | 149 | 180 | 23 | 8x18 | PN16 | MÉTRICO |
| 10531 | 140 | 2450.24 | 167 | 210 | 26 | 8x18 | PN16 | MÉTRICO |
| 10532 | 160 | 3276 | 190 | 240 | 28 | 8x22 | PN10 | MÉTRICO |
| 10533 | 200 | 5820 | 235 | 295 | 34 | 8x22 | PN10 | MÉTRICO |
| 10534 | 225 | 5437.12 | 252 | 295 | 34 | 8x22 | PN10 | MÉTRICO |
| 10535 | 250 | 6327.36 | 282 | 350 | 34 | 12x22 | PN10 | MÉTRICO |





ITEM 411 | Bride plate recouverte de PP à cœur d'acier

10536

315

6801.6

348

400

34

12x22

PN10

MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



Documentation Produit



Certifications de produits



Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es