




## Brides et prote-bridés

# Union bride conique de sûreté ITEM 080

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m <sup>3</sup> )	Poids brut	Unités par lot
1010106	ENLACE BRIDA CONICO SEG. 90	3,6308	0,00892	3,83	1
1010107	ENLACE BRIDA CONICO SEG. 110	4,9066	0,00892	5,094	1
1010108	ENLACE BRIDA CONICO SEG 125	5,495	0,01553	5,735	1
1010109	ENLACE BRIDA CONICO SEG 140	5,4623	0,02244	5,95	1
1010110	ENLACE BRIDA CONICO SEG 160	8,4423	0,02244	8,93	1
1010111	ENLACE BRIDA CONICO SEG 200	11,056	0,03129	11,616	1





## ITEM 080 | Union bride conique de sûreté

Código	A	Peso (g)	B	C	PN	MEDIDA
10099	90	3390	200	115	PN16	MÉTRICO
10101	110	4240	220	136	PN16	MÉTRICO
10102	125	4600	230	152	PN16	MÉTRICO
10103	140	5370	250	166	PN16	MÉTRICO
10104	160	6490	284	186	PN10	MÉTRICO
10105	200	10060	315	229	PN10	MÉTRICO





## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es