



Vannes à boisseau 'Basic'

Corps moteur pneumatique double effet - PFTE

ITEM 263



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m ³)	Poids brut	Unités par lot
1011589	C.V ENLACE ACT NEUMATICO D/E 20	2,283	0,01553	2,523	1
1011590	C.V ENLACE ACT NEUMATICO D/E 25	2,301	0,02244	2,841	1
1011591	C.V ENLACE ACT NEUMATICO D/E 32	2,399	0,03129	2,959	1
1011592	C.V ENLACE ACT NEUMATICO D/E 40	2,524	0,03129	3,084	1
1011593	C.V ENLACE ACT NEUMATICO D/E 50	2,622	0,00891	3,162	1
1011594	C.V ENLACE ACT NEUMATICO D/E 63	3,6	0,03648	4,3	1
1011595	C.V ENLACE ACT NEUMATICO D/E 75	4,891	0,04460	5,731	1
1011596	C.V ENLACE ACT NEUMATICO D/E 90	5,659	0,02243	6,499	1
1011597	C.V ENLACE ACT NEUMATICO D/E 110	6,03	0,04460	6,87	1
1011598	C.V ENLACE ACT NEUMATICO D/E 125	6,585	0,04460	7,425	1





ITEM 263 | Corps moteur pneumatique double effet - PTFE

CÓDIGO	∅ tubo	Actuador	PESO (g)	DN	A	B	C	PN	MEDIDA
11589	20	H032DE	2283	15	47	211	117	PN16	MÉTRICO
11590	25	H032DE	2301	20	51	219	117	PN16	MÉTRICO
11591	32	H050DE	2399	25	66	230	138	PN16	MÉTRICO
11592	40	H050DE	2524	32	72	249	138	PN16	MÉTRICO
11593	50	H050DE	2622	40	77	267	138	PN16	MÉTRICO
11594	63	H050DE	3600	50	90	352	138	PN16	MÉTRICO
11595	75	H075DE	4891	65	121	426	210	PN10	MÉTRICO
11596	90	H075DE	5659	80	141	450	210	PN10	MÉTRICO
11597	110	H075DE	6030	100	155	477	210	PN10	MÉTRICO
11598	125	H075DE	6595	112	161	470	210	PN10	MÉTRICO





Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



ITEM 263 | Corps moteur pneumatique double effet - PFTE



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



Documentation Produit



Certifications de produits



Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es