



## Raccords PP pour tube polyéthylène

# Coude 90° fileté

## ITEM 104

| RÉFÉRENCE | DESCRIPTION                   | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|-------------------------------|-----------|--------------------------|------------|----------------|
| 1012091   | CODO 90° ROSCA MACHO 20-1/2"  | 0,060404  | 0,02244                  | 5,32       | 80             |
| 1012092   | CODO 90° ROSCA MACHO 25-3/4"  | 0,087146  | 0,02244                  | 4,845      | 50             |
| 1012093   | CODO 90° ROSCA MACHO 32-1"    | 0,13714   | 0,03129                  | 7,43       | 50             |
| 1012094   | CODO 90° ROSCA MACHO 40-1 1/4 | 0,234533  | 0,03648                  | 7,63       | 30             |
| 1012095   | CODO 90° ROSCA MACHO 50-1 1/2 | 0,39755   | 0,03648                  | 8,545      | 20             |
| 1012096   | CODO 90° ROSCA MACHO 63-2"    | 0,726547  | 0,04717                  | 11,54      | 15             |
| 1012097   | CODO 90° ROSCA MACHO 75-2 1/2 | 1,11345   | 0,06150                  | 12,055     | 10             |
| 1012098   | CODO 90° ROSCA MACHO 90-3"    | 1,898     | 0,03129                  | 8,165      | 4              |
| 1012099   | CODO 90° ROSCA MACHO 110-4"   | 2,831     | 0,03129                  | 6,235      | 2              |
| 1012361   | CODO 90° ROSCA MACHO 25-1/2"  | 0,09      | 0,02243                  | 4,915      | 50             |
| 1012364   | CODO 90° ROSCA MACHO 32-3/4"  | 0,135     | 0,03129                  | 7,38       | 50             |





## ITEM 104 | Coude 90° fileté

| Código | f tubo - F  | Peso (g) | A  | B   | C   | D   | E  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|-----|-----|-----|----|------|------------|
| 12091  | 20 - 1/2"   | 60       | 21 | 46  | 83  | 77  | 15 | PN16 | BSP        |
| 12361  | 25 - 1/2"   | 87       | 26 | 55  | 92  | 81  | 15 | PN16 | BSP        |
| 12092  | 25 - 3/4"   | 90       | 26 | 55  | 92  | 81  | 15 | PN16 | BSP        |
| 12364  | 32 - 3/4"   | 129      | 33 | 64  | 105 | 94  | 15 | PN16 | BSP        |
| 12093  | 32 - 1"     | 134      | 33 | 64  | 105 | 94  | 17 | PN16 | BSP        |
| 12094  | 40 - 1 1/4" | 227      | 42 | 76  | 126 | 104 | 21 | PN16 | BSP        |
| 12095  | 50 - 1 1/2" | 370      | 51 | 91  | 145 | 128 | 21 | PN16 | BSP        |
| 12096  | 63 - 2"     | 612      | 64 | 109 | 189 | 156 | 29 | PN16 | BSP        |
| 12097  | 75 - 2 1/2" | 1057     | 77 | 133 | 212 | 178 | 30 | PN10 | BSP        |
| 12098  | 90 - 3"     | 1919     | 92 | 159 | 263 | 208 | 35 | PN10 | BSP        |





## ITEM 104 | Coude 90° fileté

12099

110 - 4"

2769

112

183

303

244

41

PN10

BSP



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es