




Joelho 90° Netvitc System®

Tê dupla "Air" Netvitc SysTêm® saída r/h PPFV ITEM 57N



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	Peso bruto	Unidades por lote
101N740	Tê Duplo NS "AIR" 90-2"-1/4" PPFV	1,02665	0,01553	2,38	2
101N741	Tê Duplo NS "AIR" 90-2"-1/2" PPFV	1,07	0,01553	2,47	2
101N742	Tê Duplo NS "AIR" 90-2"-3/4" PPFV	1,1214	0,01553	2,5728	2
101N743	Tê Duplo NS "AIR" 110-2"-1/4" PPFV	1,4485	0,03129	3,47	2
101N744	Tê Duplo NS "AIR" 110-2"-1/2" PPFV	1,5002	0,03129	3,4973	2
101N745	Tê Duplo NS "AIR" 110-2"-3/4" PPFV	1,4235	0,03129	3,42	2
101N747	Tê Duplo NS "AIR" 160-2"-3/4" PPFV	2,5473	0,04117	5,735	2
101N748	Tê Duplo NS "AIR" 160-2"-1" PPFV	2,5473	0,04117	5,735	2





ITEM 57N | Tê dupla “Air” Netvitc Systêm® salida r/h PPFV

CÓDIGO	f	PESO	BRIDA	A	B	C	D	E	PN	ROSCA
1N740	90-2"	1027	90	283	121	2"	38	1/4"	PN10	BSP
1N741	90-2"	1070	90	283	121	2"	38	1/2"	PN10	BSP
1N742	90-2"	1121	90	283	121	2"	38	3/4"	PN10	BSP
1N743	110-2"	1449	110	280	144	2"	38	1/4"	PN10	BSP
1N744	110-2"	1500	110	280	144	2"	38	1/2"	PN10	BSP
1N745	110-2"	1424	110	280	144	2"	38	3/4"	PN10	BSP
1N747	160-2"	2636	160	346	201	2"	37	3/4"	PN10	BSP
1N748	160-2"	2636	160	346	201	2"	37	1"	PN10	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

