




Válvulas de esfera 'Basic'

V/b actuador neumático. dupla efecto s r/h ITEM 255



| REFERÊNCIA | DESCRIÇÃO | Peso líquido | Volume (m ³) | Peso bruto | Unidades por lote |
|------------|---|--------------|--------------------------|------------|-------------------|
| 1011229 | VALVULA União ACT. NEUM. DE R/H 1/2" PTFE | 2,354 | 0,01553 | 2,594 | 1 |
| 1011230 | VALVULA União ACT. NEUM. DE R/H 3/4" PTFE | 2,394 | 0,00891 | 2,5814 | 1 |
| 1011231 | VALVULA União ACT. NEUM. DE R/H 1" PTFE | 2,515 | 0,03129 | 3,088 | 1 |
| 1011232 | VALVULA União ACT. NEUM. DE R/H 1 1/4" PTFE | 2,74 | 0,03129 | 3,3 | 1 |
| 1011233 | VALVULA União ACT. NEUM. DE R/H 1 1/2" PTFE | 3,016 | 0,03129 | 3,576 | 1 |
| 1011234 | VALVULA União ACT. NEUM. DE R/H 2" PTFE | 3,2923 | 0,01553 | 3,619 | 1 |
| 1011235 | VALVULA União ACT. NEUM. DE R/H 2 1/2" PTFE | 7,463 | 0,04460 | 8,157 | 1 |
| 1011236 | VALVULA União ACT. NEUM. DE R/H 3" PTFE | 8,686 | 0,04460 | 9,38 | 1 |
| 1011237 | VALVULA União ACT. NEUM. DE R/H 4" PTFE | 8,674 | 0,04460 | 9,514 | 1 |





ITEM 255 | V/b actuador neumático. dupla efecto s r/h

| CÓDIGO | r | PESO (g) | DN | Actuador | B | C | D | E | F | G | PN | TIPO ROSCA |
|--------|--------|----------|-----|----------|----|-----|-----|-----|-----|-----|------|------------|
| 11229 | 1/2" | 2354 | 15 | H050DE | 17 | 52 | 47 | 91 | 211 | 138 | PN16 | BSP |
| 11230 | 3/4" | 2394 | 20 | H050DE | 20 | 59 | 51 | 101 | 219 | 138 | PN16 | BSP |
| 11231 | 1" | 2515 | 25 | H050DE | 23 | 70 | 66 | 120 | 230 | 138 | PN16 | BSP |
| 11232 | 1 1/4" | 2740 | 32 | H050DE | 26 | 84 | 72 | 134 | 249 | 138 | PN16 | BSP |
| 11233 | 1 1/2" | 3016 | 40 | H050DE | 33 | 99 | 77 | 153 | 267 | 138 | PN16 | BSP |
| 11234 | 2" | 4204 | 50 | H050DE | 29 | 121 | 90 | 161 | 352 | 138 | PN16 | BSP |
| 11235 | 2 1/2" | 5939 | 65 | H075DE | 33 | 151 | 121 | 204 | 426 | 210 | PN10 | BSP |
| 11236 | 3" | 7136 | 80 | H075DE | 36 | 175 | 141 | 234 | 450 | 210 | PN10 | BSP |
| 11237 | 4" | 8674 | 100 | H075DE | 42 | 210 | 155 | 267 | 477 | 210 | PN10 | BSP |





Documentación do Produto



Certificados do Produto



Certificados da Empresa

